

Product Specification Form– PSF Blachere
Contractual document for laboratory,
Inspection company, customs.

Version : 2017/**V2-2**

| | |
|------------|-------------------|
| Item no. : | A619N |
| Date : | 14-11-2017 |
| Supplier : | 2LIN |


Below specifications must be same as lab. test samples which is provided by supplier.

Below is example to show supplier how to fill this form.


To put appropriate picture on the right size and state specifications on the left side.

Supplier can delete non-appropriate category.

| Description of the check point |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Specifications : Product size : 30 x 21 x 9 (centimeter) Voltage (V) : 24V Voltage AC or DC : DC Watt (W) : 7.2W IP no. (IP20 or IP44) : IP44 Class II or III : III Length of garland (meter) : 9m Length of lead wire (meter) : 3m No. of LED : 15 Color of LED : Black |

| Picture of the check point |
|-------------------------------------------------------------------------------------|
|  |

| Description of the check point |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| High Voltage Plug marking if applicable Our transformer including the high voltage plug, No separate authentication for the plug test with appliance |

| Picture of the check point |
|--------------------------------------------------------------------------------------|
|  |

| Description of the check point |
|--------------------------------|
|--------------------------------|

| Picture of the check point |
|----------------------------|
|----------------------------|

Supplier is responsible for all technical informations and for compliance with European standards for the products and its components.

Product Specification Form– PSF Blachere
Contractual document for laboratory,
Inspection company, customs.

Version : 2017/**V2-2**

SELV Plug (Low Voltage Plug) if applicable

The photo should show the construction (male and female) and shape clearly as similar as right side photo together with transformer socket.



Description of the check point

Inter-connectable connector if applicable

The photo should show the construction (male and female) and shape clearly as similar as right side photo.

Picture of the check point




Description of the check point

Marking on the Inter-connectable connector if applicable

Male connector : BSA BL 05M
 Female connector : BSA BL 05F
 =

Picture of the check point



Description of the check point

Picture of the check point

Product Specification Form– PSF Blachere
Contractual document for laboratory,
Inspection company, customs.

Version : 2017/**V2-2**

Cable specifications if applicable :

Mention herewith

- Colour of cable :black
- Cable cross section area (mm²) : 0.15mm²



Description of the check point

Name plate of transformer & Spec.

Model no. : LR-IP-24007.2
 Maker name : Liyang Wonderland
 Input (V) : 220-240V~50/60Hz
 Output (V):24V
 Max Output Watt (W) :7.2W
 IP no. (IP20 or IP44) : IP44

Remark :

Traditional transfo, tolerance within +/- 5%

Electronic transfo, tolerance within +/-10%

Do not use word INPUT, should use **PRI**

Do not use word OUTPUT, should use **SEC**

Picture of the check point

